

Jaguar: Accelerating towards the world's next "green" nickel project

A long-life nickel sulphide project in Brazil's Carajás, ready to plug-in to the lithium-ion battery boom

Australian Nickel Conference | October 2021 Darren Gordon, Managing Director





Disclaimer




- This presentation does not constitute investment advice. Neither this presentation nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of shares in any jurisdiction. This presentation does not take into account any person's particular investment objectives, financial resources or other relevant circumstances and the opinions and recommendations in this presentation are not intended to represent recommendations of particular investments to particular persons. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments.
- To the fullest extent permitted by law, the Company does not make any representation or warranty, express or implied, as to the accuracy or completeness of any information, statements, opinions, estimates, forecasts or other representations contained in this presentation. No responsibility for any errors or omissions from this presentation arising out of negligence or otherwise is accepted.
- This presentation may include forward looking statements. Forward looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of Centaurus Metals. These risks, uncertainties and assumptions include commodity prices, currency fluctuations, economic and financial market conditions in various countries and regions, environmental risks and legislative, fiscal or regulatory developments, political risks, project delay or advancement, approvals and cost estimates. Actual values, results or events may be materially different to those expressed or implied in this presentation. Given these uncertainties, readers are cautioned not to place reliance on forward looking statements. Any forward-looking statements in this presentation speak only at the date of issue of this presentation. Subject to any continuing obligations under applicable law and the ASX Listing Rules, Centaurus Metals does not undertake any obligation to update or revise any information or any of the forward looking statements in this presentation or any changes in events, conditions or circumstances on which any such forward looking statement is based.
- The Scoping Study referred to in this presentation has been undertaken for the purpose of initial evaluation of a potential development of the Jaguar Nickel Sulphide Project. It is a preliminary technical and economic study (±40%) of the potential viability of the Jaguar Nickel Sulphide Project. The Scoping Study outcomes, Production Target and forecast financial information referred to in this presentation are based on low accuracy level technical and economic assessments that are insufficient to support estimation of Ore Reserves. While each of the modifying factors was considered and applied, there is no certainty of eventual conversion to Ore Reserves or that the Production Target itself will be realised. Further exploration and evaluation work and appropriate studies are required before Centaurus will be in a position to estimate any Ore Reserves or to provide any assurance of an economic development case.
- Assumptions also include assumptions about the availability of funding. While Centaurus considers that all the material assumptions are based on reasonable grounds, there is no certainty that they will prove to be correct or that the range of outcomes indicated by this study will be achieved. To achieve the range of outcomes indicated in the Scoping Study, pre-production funding in the order of US\$288M will likely be required. There is no certainty that Centaurus will be able to source that amount of funding when required. It is also possible that such funding may only be available on terms that may be dilutive to or otherwise affect the value of Centaurus's shares. It is also possible that Centaurus could pursue other value realisation strategies such as a sale, partial sale or joint venture of the Jaguar Nickel Sulphide Project. This could materially reduce Centaurus's proportionate ownership of the Jaguar Nickel Sulphide Project.
- The information in this report that relates to Exploration Results is based on information compiled by Mr Roger Fitzhardinge who is a Member of the Australasia Institute of Mining and Metallurgy. Mr Fitzhardinge is a permanent employee and shareholder of Centaurus Metals Limited. Mr Fitzhardinge has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Fitzhardinge consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.
- The information in this report that relates to the March 2021 Jaguar Mineral Resources is based on information compiled by Mr Lauritz Barnes (consultant with Trepanier Pty Ltd) and Mr Roger Fitzhardinge (a permanent employee and shareholder of Centaurus Metals Limited). Mr Barnes and Mr Fitzhardinge are both members of the Australasian Institute of Mining and Metallurgy. Mr Barnes and Mr Fitzhardinge have sufficient experience of relevance to the styles of mineralisation and types of deposits under consideration, and to the activities undertaken to qualify as Competent Persons as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Specifically, Mr Fitzhardinge is the Competent Person for the database (including all drilling information), the geological and mineralisation models plus completed the site visits. Mr Barnes is the Competent Person for the construction of the 3-D geology / mineralisation model plus the estimation. Mr Barnes and Mr Fitzhardinge consent to the inclusion in this report of the matters based on their information in the form and context in which they appear.
- The company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the original market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the competent persons findings have not been materially modified from the original announcement.
- This presentation contains information extracted from the Company's ASX market announcements dated 29 March 2021 and 31 May 2021 which are available on the Company's website at www.centaurus.com.au. The Company confirms that that all material assumptions underpinning the Jaguar Project Scoping Studies as detailed in the ASX market announcements of 29 March 2021 and 31 May 2021 continue to apply and have not materially changed.



Underpinned by a high-quality asset at Jaguar, we are well placed to deliver on our target to be a clean and efficient **20,000-plus tonne per annum nickel** producer by the end of 2024 to assist in the global transition to electrification and to meet anticipated surging demand for key battery metals.

A New Era of Nickel Sulphide Demand

The looming clean energy revolution



- Current nickel market size ~2.5Mtpa
- Nickel demand for batteries growing strongly from a low base
- Depending on the scenario for the EV rate of adoption, estimated nickel
 volumes to meet this additional demand vary between 1-1.5 million tonnes
- Nickel to remain critical to EV market no matter which type of cathode is adopted



WHERE IS THE NEW SUPPLY COMING FROM?

EVs and the path to decarbonisation require Class-1 nickel

Class-1 nickel will preferentially be sourced from sulphide deposits – low capital intensity, easy processing, lowest carbon footprint

Decades of limited nickel exploration means a very low pipeline of new projects, especially lower-cost, lower-emission sulphide projects in geopolitically safe mining jurisdictions.

CENTAURUS WELL PLACED TO BE PART OF THE SOLUTION



Centaurus Metals



A compelling nickel investment for a clean energy future

+20,000 tonnes per annum of battery grade nickel in sulphate over initial 13-year LOM



The team to deliver:

Extensive Brazil & Nickel Experience

from Exploration to Operations



JORC Mineral Resource

58.9Mt @ 0.96% Ni

562,600t Ni Metal



Post Tax NPV₈

A\$1.11 billion

with IRR of 52%

@US\$7.50/lb nickel price +US\$0.50/lb sulphate premium



Low Carbon Footprint

4.69t CO₂/t Ni Eq

lower than 97% of global nickel production

Carajás Mineral Province

Tier-1 mining province outstanding infrastructure

Mill Feed

33.7Mt @ 1.01% Ni

Ni Sulphate Production

262,100t Ni Metal

High Operating Cash Margin

US\$4.27/lb Ni

LOM Annual Cash Flow (pre-tax)

US\$189 million

MRE growth opportunities:

65,000m of drilling 7 DD + 1 RC rig on site

Brazil

en en

A mining-friendly and emission-friendly jurisdiction


- Strong tenement control system, established Mining Code
- Government revenue generated from royalties with predefined split between the municipal, state and federal authorities
- Carajás Mining District one of the world's most prolific mining regions and effective industrial zone of Brazil with extensive infrastructure
- Strong mining culture in State of Para established over 40 years
- 15% effective tax rate for first 10 years of operations (SUDAM Incentive Program)
- Environmental Approval Process clearly defined with Terms of Reference issued for EIA Process
- Recently-created Strategic Minerals Policy to assist in approval process for strategic minerals
- 80% of Brazil's power currently generated from renewable sources




Brazil's Carajás Mineral Province

en

A Tier-1 global mining province





The Carajás contains one of the world's largest known concentrations of large-tonnage world-class mineral deposits


Brazil's Carajás Mineral Province Outstanding infrastructure and logistics

- High-Voltage (138kV) grid power **40km line** from Tucumã to site
- Brazil's national power grid runs on +80% renewables
- Low cost, clean power less than US\$0.10/kWh
- Project located 40km north of Tucumã and Ourilândia do Norte (pop +70,000) – mining communities with skilled workforce
- Sealed road access to Vila de Conde Free Access Port or rail to Sao Luis
- Ideally positioned to feed the global battery supply chain





Tucumã Township, Para, Brazil










GHG Emissions - Forecast to be a Class-leader

Powered by renewables & high-grade nickel sulphides






Life-of-mine CO₂ footprint forecast to be lower than 97% of global nickel production

The best nickel tonnes are those with the lowest GHG Emissions and highest Operating Cash Margins

Jaguar Project – Large-tonnage high quality Resource Low-cost open pit & underground operations



JORC Mineral Resource Estimate: 58.9Mt @ 0.96% Ni for 562,600 tonnes of contained nickel metal



Totals are rounded to reflect acceptable precision, subtotals

may not reflect global totals.

- JORC MRE based on +74,000m of diamond drilling
- 80% of MRE is within 200m of surface
- +60% Resources converted to Production Target
- 7 x Diamond and 1 RC Rig presently on site
- Next JORC Resource up-grade planned for Q4 2021
 - +75% of mill feed from open pit; LOM strip-ratio of 6.5:1
- +60% of Mill Feed in Indicated Resource Category


Blended Mill Feed:
33.7Mt @ 1.01% Ni for 341,300t of contained Ni
over initial ~13-year LOM

Jaguar Project – Non-processing Infrastructure Nickel sulphate plant to treat 2.7Mtpa



Targeting world's best-practice tailings & emissions management

- Processing Plant Capacity 2.7Mtpa
- Development Capital US\$288 million
- Low capital intensity US\$14,500/tAnnual Ni Prod'n
- After Tax Payback 1.8 Years
- Integrated Waste Landform (IWL):
- Optimises use of mine waste
- Highest safety factor against embankment failure
- Hydromet Process Flowsheet optimises nickel recovery



Jaguar Project - Proceeding Straight to DFS

Robust project with plenty of project development & Ni price upside

Project Development Opportunities

Post Tax NPV₈

A\$1.11 billion with IRR of 52%

Refine local based


CAPEX & OPEX


estimates

Mine Schedule optimisation

Process Route

by-product opportunities





High Cash Operating Margin of US\$4.27/lb Ni = downside protection & outstanding upside opportunity

At US\$9.00/lb LOM Ni price, post tax NPV₈ **A\$1.62 billion with 70% IRR**

Jaguar Project – Approvals & Stakeholder Engagement Building relationships now and for the future



Environmental Approvals On-Track

- Majority of the project footprint already disturbed (pasture land)
- Lodgement of EIA/RIMA completed August 2021

Land Access

• Secured possession of two key properties that cover an area of 1,500 hectares for the long-term benefit of the Project.

Social Programs Underway

- Public/Private Partnership with Sao Felix municipality to upgrade roads
- Social programs with local communities, focus on health and water quality
- Set to contribute over <u>R\$2.0 billion</u> (+US\$400 million) in taxes and government royalties 65% of royalties goes to local municipalities

Health & Safety and our COVID-19 Response

• 100-person site exploration camp operational to mitigate risk of COVID-19 transmission – closely supporting local health services






Jaguar Project - Resource Growth and Upside




65km of development & growth drilling for 2021



Jaguar Project – Resource Growth and Upside There are very deep plumbing systems in the Carajás





World-class Carajás IOCG deposits are associated with regional-scale mineralizing structures.

Salobo (Cu-Au), mineralisation to depths of +1,500m and remains open at depth!


- Jaguar mineralisation is associated with the Canaã fault that is the source of the Sossego (Cu-Au), mineralisation to depths of +700m
- Oz Minerals starting its first underground operation in the Carajás (Pedra Branca Cu-Au Mine)
- AngloGold Ashanti mining at +1,500m in Brazil (1.5Mtpa)

from 208m,

within 56.1m @ 2.05% Ni

Jaguar Project – Resource Growth and Upside Jaguar South – open at depth below current UG stope limits






UG stopes are limited by current base of drilling

Jaguar Project - Resource Growth and Upside Jaguar South - New EM Plates below deepest drilling







- EM Conductor plates are powerful targeting tool for semi-massive and massive sulphides at Jaguar and the Carajás region generally
- Late-time (Ch20+)
 conductor plates now
 extend 270m below
 deepest drilling at Jaguar
 South
- Deeper drilling at Jaguar South and other deposit areas already underway testing newly identified conductor plates

50m


Jaguar Project – Resource Growth and Upside Jaguar Central & Onça Preta – deep plumbing, open and untested












DHEM to drive more deep massive sulphide discoveries

Jaguar Project – Resource Growth and Upside The Tigre Prospect – the next cat off the rank?







Exploration Pipeline

Tigre



Leão



Dente de Sabre

Twister

Roquefera

Puma Contact

Fliperama

Jaguar Central Sul

Onça Preta SE

Jaguar NE Extension

Filhote (PGEs)



- Maiden greenfields RC drilling at Tigre intersected significant percentages of sulphide mineralisation of up to 10m over a strike length of at least 700m
- On-site scans of the RC chips and drill core with a hand-held XRF have confirmed high nickel grades in the Tigre sulphide mineralisation

Jaguar Project Targeted Development Timeline





Q3/2021 – Lodge Key Environmental Licence



Q1/2021– MRE Upgrade & Scoping Study Results



Corporate Summary





Capital Structure	October 2021			
Shares on Issue	358.2m			
Unlisted Options	12.0m			
Top 20 Holders	62.5%			
Market Capitalisation (\$0.97) A\$347m				
Cash – 30 June 2021	A\$20.4m			
Other Significant Assets Jambreiro Iron Ore				
Substantial Shareholders				
Sprott Inc.	9.6%			
McCusker Holdings Pty Ltd	7.9%			
Harmanis Holdings	5.2%			
Dundee Corporation	5.1%			
Board and Management	4.5%			
Broker Research	Analyst			
Argonaut	George Ross			
Sprott	Brock Salier			
Euroz Hartleys	Jon Bishop			
Canaccord Genuity	Paul Howard			

Centaurus

Key investment takeaways

- Nickel focus sustainable nickel sulphide asset leveraged to strong long-term Class-1 nickel market outlook
- Extremely low carbon footprint estimated to be lower than 97% of global nickel production
- Favourable infrastructure-rich project location the world-class Carajás Mineral Province
- Globally Significant Maiden JORC Resource 58.9Mt at 0.96% Ni for 562,600 tonnes of contained nickel
- Project Scope currently shows Mill Feed of 33.7Mt @ 1.01% Ni for 341,300t of nickel to produce +20ktpa of nickel in sulphate and a MSP over initial mine life of 13 years
- Low capital intensity, low operating costs and strong cash flow generation (A\$252 million per annum LOM)
- Strong returns: Post-tax NPV₈ of ~A\$1.11 billion (US\$831 million) with a post-tax IRR of ~52% @ US\$7.50/lb
- Outstanding growth potential deposits open at depth and along strike with further drilling underway; multiple greenfields prospects with walk-up drill targets (65km of drilling in 2021)
- The right team and well funded for exploration & feasibility study work ~\$20 million (EOQ June 2021)

Centaurus represents a rare opportunity to invest in a rapidly unfolding high-grade nickel sulphide growth story in Brazil, at the perfect time in the nickel market cycle.



Jaguar: Accelerating towards the world's next "green" nickel project

Australian Nickel Conference | October 2021 Darren Gordon, Managing Director

Contact us

office@centaurus.com.au.au (+61) 8 6424 8420

Follow our communications:

Linked in : Centaurus Metals

twitter : @CentaurusMetals



australiannickelconference.com
5 October 2021, Perth, Western Australia



Centaurus March 2021 JORC MRE & May 2021 Production Target



Deposit	Resource	Tonnes	Grade			Contained Metal kt		
Deposit	Category	Mt	Ni %	Cu %	Co ppm	Ni	Cu	Co
Jaguar South	IND	7.4	1.19	0.06	239	87.4	4.2	1.8
	INF	11.3	0.83	0.04	184	93.9	4.3	2.1
	Total	18.7	0.97	0.05	206	181.3	8.6	3.9
Jaguar Central	IND	8.4	0.99	0.06	267	83.1	5.2	2.2
	INF	1.8	1.06	0.06	269	19.3	1.1	0.5
	Total	10.2	1.00	0.06	268	102.4	6.3	2.7
Jaguar North	IND	2.3	1.08	0.14	349	24.5	3.2	0.8
	INF	1.0	1.12	0.28	353	11.4	2.8	0.4
	Total	3.3	1.09	0.18	350	35.9	6.0	1.2
Jaguar Central North	INF / Total	5.8	0.80	0.05	210	46.7	3.0	1.2
Jaguar Northeast	INF / Total	8.3	0.78	0.09	253	64.9	7.3	2.1
Jaguar West	INF / Total	5.7	0.80	0.04	150	45.2	2.1	0.9
Jaguar Deposits	INF	18.0	1.08	0.07	266	195.0	12.6	4.8
	IND	34.0	0.83	0.06	209	281.3	20.8	7.1
	Total	52.0	0.92	0.06	229	476.3	33.4	11.9
Onça Preta	INF	2.1	1.47	0.11	762	30.9	2.3	1.6
	IND	1.6	1.71	0.05	236	27.0	0.8	0.4
	Total	3.7	1.58	0.08	536	57.8	3.1	2.0
Onça Rosa	INF / Total	3.2	0.88	0.06	251	28.5	1.8	0.8
Jaguar MRE Total	IND	20.1	1.12	0.07	318	225.8	14.9	6.4
	INF	38.8	0.87	0.06	214	336.8	23.4	8.3
	Grand Total	58.9	0.96	0.07	249	562.6	38.3	14.7

Mining Method	Material Type	Resource Category	Ore Mt	Ni %	Ni Metal kt
Open Pit	High-grade	IND	12.8	1.09%	140.2
	>0.6% Ni	INF	7.6	0.90%	68.1
		Mill Feed	20.4	1.02%	208.3
	Low-grade	IND	7.2	0.42%	30.2
	0.3-0.6% Ni	INF	9.0	0.42%	37.8
		Total	16.2	0.42%	68.0
		IND	20.0	0.85%	170.4
		INF	16.6	0.64%	105.9
Open Pit Production Target		Total	36.6	0.76%	276.3
Underground		IND	1.4	1.30%	17.6
		INF	7.1	0.96%	67.9
Underground Production Targ	et	Mill Feed	8.5	1.01%	85.4
		IND	21.4	0.88%	187.9
		INF	23.7	0.73%	173.8
Total Production Target		Total	45.0	0.80%	361.7
Ore-sorter Product*		Mill Feed	4.8	0.98%	47.3
LOM Mill Feed		<u>Total</u>	33.7	1.01%	341.3

^{*}Ore-sorter product has been processed pre-concentrator

^{*} Within 200m of surface cut-off grade 0.3% Ni; more than 200m from surface cut-off grade 1.0% Ni; Totals are rounded to reflect acceptable precision, subtotals may not reflect global totals.